

**EUROPEAN AND MEDITERRANEAN PLANT PROTECTION ORGANIZATION**  
**ORGANISATION EUROPEENNE ET MEDITERRANEENNE POUR LA PROTECTION DES PLANTES**  
**Summary sheet of validation data for a diagnostic test**

The EPPO Standard PM 7/98 *Specific requirements for laboratories preparing accreditation for a plant pest diagnostic activity* describes how validation should be conducted. It also includes definitions of performance criteria.

<b>Laboratory contact details</b>	EUPH DNA Barcoding , , EUPHRESCO
<b>Short description of the test</b>	DNA Barcoding - Optimizing and validating DNA barcoding protocols for Nematode
<b>Date, reference of the validation report</b>	2016-06-30 - Final_report_DNA barcoding.doc
<b>Validation process according to EPPO Standard PM7/98?</b>	yes
<b>Is the lab accredited for this test?</b>	no
<b>Was the validated data generated in the framework of a project?</b>	Euphresco
<b>If yes, please specify</b>	EUPHRESCO DNA Barcoding - Optimizing and validating DNA barcoding protocols for plant pests
<b>Description of the test</b>	
<b>Organism(s)</b>	Aphelenchoides fragariae (APLOFR) Meloidogyne chitwoodi (MELGCH) Ditylenchus dipsaci (DITYDI) Bursaphelenchus xylophilus (BURSXY) Aphelenchoides besseyi (APLOBE)
<b>Detection / identification</b>	identification
<b>Method(s)</b>	Molecular Sanger seq
<b>Method: Molecular Sanger seq</b>	
<b>Reference of the test description</b>	
<b>Other information</b>	
<b>Are the performance characteristics included in the EPPO diagnostic protocol?</b>	yes
<b>Performance Criteria :</b>	
<b>Organism 1.:</b>	<b>Aphelenchoides fragariae(APLOFR)</b>
<b>Analytical sensitivity</b>	
<b>What is smallest amount of target that can be detected reliably?</b>	See report
<b>Diagnostic sensitivity</b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	89% (100% after re-analysing the consensus sequence data provided by TPS participants)

<b><u>Analytical specificity - inclusivity</u></b>	
<b>Number of strains/populations of target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Analytical specificity - exclusivity</u></b>	
<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Reproducibility</u></b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	100%
<b>Organism 2.:</b>	<b>Meloidogyne chitwoodi(MELGCH)</b>
<b><u>Analytical sensitivity</u></b>	
<b>What is smallest amount of target that can be detected reliably?</b>	See report
<b><u>Diagnostic sensitivity</u></b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	100%
<b><u>Analytical specificity - inclusivity</u></b>	
<b>Number of strains/populations of target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Analytical specificity - exclusivity</u></b>	
<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Reproducibility</u></b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	100%
<b>Organism 3.:</b>	<b>Ditylenchus dipsaci(DITYDI)</b>
<b><u>Analytical sensitivity</u></b>	
<b>What is smallest amount of target that can be detected reliably?</b>	See report
<b><u>Diagnostic sensitivity</u></b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	100%
<b><u>Analytical specificity - inclusivity</u></b>	
<b>Number of strains/populations of target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Analytical specificity - exclusivity</u></b>	

<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Reproducibility</u></b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	100%
<b>Organism 4.:</b>	<b>Bursaphelenchus xylophilus(BURSXY)</b>
<b><u>Analytical sensitivity</u></b>	
<b>What is smallest amount of target that can be detected reliably?</b>	See report
<b><u>Diagnostic sensitivity</u></b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	100%
<b><u>Analytical specificity - inclusivity</u></b>	
<b>Number of strains/populations of target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Analytical specificity - exclusivity</u></b>	
<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Reproducibility</u></b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	100%
<b>Organism 5.:</b>	<b>Aphelenchoides besseyi(APLOBE)</b>
<b><u>Analytical sensitivity</u></b>	
<b>What is smallest amount of target that can be detected reliably?</b>	See report
<b><u>Diagnostic sensitivity</u></b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	89% (100% after re-analysing the consensus sequence data provided by TPS participants)
<b><u>Analytical specificity - inclusivity</u></b>	
<b>Number of strains/populations of target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Analytical specificity - exclusivity</u></b>	
<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Reproducibility</u></b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	100%

Test performance study	
Test performance study?	yes
Brief details of the test performance study and its output.It available, link to published article/report	Test performance study involving 11 laboratories (9 of which provided data). See report for more information.
The following complementary files are available online:	<ul style="list-style-type: none"> <li>• <a href="#">EUPHRESKO DNA Barcoding - report</a></li> </ul>

Creation date: 2020-07-01 15:01:44 - Last update: 2025-06-12 20:42:06